

Guardian



PESACKA
BARIJERA
PUNE VISINE



Sigurna i prakticna.

Guardian je pesacka barijera pune visine i cvrste strukture, napravljena od najboljih materijala koji mogu da izdrze dugotrajnu, intenzivnu upotrebu i vremenske uslove. To je garancija u pogledu sigurnosti kod objekata sa velikim otvorima kao sto su zeleznicke stanice, luke i turisticki objekti.




Citac proximity kartica



Svetlosna signalizacija

Dimenzije (mm)



Prednost postaju resenja.

KONTROLNE FUNKCIJE

- Komande "ULAZ" i "IZLAZ" omogućavaju prolazak korisnika; trokraka barijera se automatski zaključava u slučaju da nije bilo prolaska u određenom periodu ili nakon prolaska korisnika.
- Komanda "ZAKLJUČANO" sprečava neovlašteni prolaz i prekida sve efekte komandi za ulaz i izlaz.
- Komanda "HITNI SLUČAJ" aktivira oslobađanje trokrake barijere, čak i kada je aktivirana komanda "ZAKLJUČANO".

SAVRSENA INTEGRACIJA

Sve Guardian verzije se savršeno uklapaju sa Came RBM21 i RBM84 sistemima za kontrolu pristupa.

LED OSVETLJENJE

Guardian je opremljen sa sjajnom svetlosnom signalizacijom, kao i sa takozvanim stani-kreni displejom koji signalizira korisnicima da li mogu da prođu.

AKO ZELITE NAJBOLJE!

Po potrebi, Guardian je dostupan i u verziji od AISI 304 nerđajućeg čelika. Odlična estetika i izdržljivost u svim vremenskim uslovima.


230 V AC ELEKTRONIKA!

- Sjajna pokretljivost, čak i slučaju intenzivne upotrebe.
- Automatsko otpuštanje kraka u slučaju nestanka struje.

Pročitajte na sajtu **www.came.com** o kompletnom asortimanu Came proizvoda.

Came je vodeći proizvođač na tržištu rezidentalnih i industrijskih automatskih sistema.

Sirok spektar rezidentalnih rešenja: od automatika za vase kapije i garaznih vrata, do motora za roletne i zavese, pa sve do kucne automatike, protiv-provalnih sistema i video nadzora. Pouzdana tehnologija služi vama u upotrebi zahvaljujući rešenjima dizajniranim za pokretanje kako velikih industrijskih, tako i automatskih vrata, rampi, pesackih pokretnih barijera i kontrolnih sistema za pristup parking-objektima.





GARANZIA QUALITÀ ORIGINALE

Came products
are entirely designed
and made in ITALY



Came S.p.A.
is Quality
and Environmentally certified by
UNI EN ISO 9001
UNI EN ISO 14001

MODEL

	PSHPS01	PSGS3 • PGS4	PSGD3 • PSGD4
Stepen zaštite(IP)	44	44	44
Napajanje motora (V - 50/60 Hz)	-	120 - 230 AC	120 - 230 AC
Napajanje (V - 50/60 Hz)	-	24 DC	24 DC
Potrošnja (mA)	-	223	446
Težina (kg)	400	350	650
Radna temperatura (°C)	-20 ÷ +55	-20 ÷ +55	-20 ÷ +55


● 230 V AC

PSGS3 and PSGD3

Jednostruki i dvostruki prolaz kod barijere
sa tri kraka.

PSGS4 and PSGD4

Jednostruki i dvostruki prolaz kod barijere
sa cetiri kraka.



KOMPLEMENTARNI ELEMENTI SISTEMA



1. Jednosmerna sigurnosna pregrada.
 2. Prohromska pregrada visine 900mm (AISI 304) sa ispunom od pleksiglasa debljine 6mm.
 3. Prohromska pregrada visine 900mm (AISI 304) .
 4. Prohromska sigurnosna barijera visine 1000mm (AISI 304) sa anti-panik polugom.
 5. Pocinkovani celicni stub duzine 980mm.
 6. Prohromski stub visine 980mm (AISI 304), Ø 40
 7. Pleksiglas debljine 6mm, visine 800mm i duzine 750mm.
 8. Prohromski stub visine 900mm sa nosacima (AISI 304), Ø 80 mm .
 9. Spojnice od hromirane plastike ili AISI 304 prohroma.
 10. Prohromska sipka debljine 1mm (AISI 304), Ø 40 mm .
- Dostupan u sledecim dimenzijama: 500, 1,000, 1,500, 2,000 mm .

Official Partner



MILANO 2015
FEEDING THE PLANET
ENERGY FOR LIFE

© CAME SPA - KDEP#CEN3CA3S114 - JAN 2014 - EN

Even partial reproduction is prohibited • Came reserves the right to make any changes to this document at any time



Came S.p.A.

Via Martiri della Libertà, 15
Dosson di Casier
Treviso - Italy

www.came.com

Ekskluzivni zastupnik sztr FLASH

sedište: Milovana Glišica 10
kancelarije: Bulevar Arsenija Carnojevisa 64
tel.: +381 11 212 96 72
fax.: +381 11 212 96 76
www.flash-as.co.rs - info@flash-as.co.rs



Came is a company of
CAMEGROUP