


Saloon40




PESACKA
ZAOKRETNÁ
BARIJERA





Korak ispred svih!

Izuzetno kompaktna zaokretna, pesacka barijera sa inovativnim i funkcionalnim dizajnom!

Saloon40 je projektovan za kontrolu pristupa na lokacijama sa veoma velikim brojem korisnika, kao sto su to trzni centri, aerodromi, zeleznicke stanice i bolnice.



Dimenzije (mm)



Prednosti postaju resenja.

INOVACIJA I HRAMONICNOST


- Upravljacka elektronika i napajanje zauzimaju prostor od svega 120mm.
- Svetlosna signalizacija upozorava na položaj krila i signalizira otvaranje i zatvaranje barijere.
- Podesivi granicnici položaja.

DUPLI PROLAZ


Za kontrolu pesackih prolaza sirine do 2,450mm moguće je ugraditi dve Saloon40 zaokretne, pesacke barijere. Na raspolaganju su dve verzije krila: 900mm i 1,200mm.

SIGURAN PRISTUP


- Otvaranje putem dugmeta, fotocelije ili proximity kartica.
- Enkoder tehnologija.
- Zvucno upozoravanje u slucaju nasilnog prolaska.
- Reverzibilna. U slucaju nestanka struje, barijera se može manuelno otpustiti kako bi se omogućio slobodan ulaz i izlaz.
- Podesivi granicnici položaja.
- Takozvani "Memory roll" za cuvanje podesavanja i informacija o korisnicima.



THE LUMINOUS WARNING RED CROWN signalizira da se krilo barijere zatvara.



THE LUMINOUS WARNING GREEN CROWN signalizira da se krilo barijere otvara.



THE LUMINOUS WARNING BLUE CROWN signalizira da se krilo barijere zatvara. (predsignalizacija se može elektronski podesiti).



Potpuna sigurnost sa 24V

Sistemi sa napajanjem 24V su potpuno sigurni za upotrebu i veoma pouzdani prilikom intenzivnih radnih uslova, kao što su oni kod stambenih kompleksa i industrijskih postrojenja. Stavise, ovi sistemi rade i prilikom nestanka struje, zahvaljujuci dodatnim baterijama.



Pročitajte na sajtu **www.came.com** o kompletnom asortimanu Came proizvoda.

Came je vodeći proizvođač na tržištu rezidentalnih i industrijskih automatskih sistema.

Sirok spektar rezidentalnih rešenja: od automatika za vase kapije i garaznih vrata, do motora za roletne i zavese, pa sve do kucne automatike, protiv-provalnih sistema i video nadzora. Pouzdana tehnologija služi vasoj upotrebi zahvaljujuci rešenjima dizajniranim za pokretanje kako velikih industrijskih, tako i automatskih vrata, rampi, pesackih pokretnih barijera i kontrolnih sistema za pristup parking-objektima.





GARANZIA QUALITÀ ORIGINALE

Came products
are entirely designed
and made in ITALY



Came S.p.A.
is Quality
and Environmentally certified by
UNI EN ISO 9001
UNI EN ISO 14001


MODEL

PSSLN40

Stepen zastite(IP)	40
Napajanje (V - 50/60 Hz)	120 - 230 AC
Napajanje motora (V)	24 DC
Brzina otvaranja krila 90° (s)	1
Snaga(W)	120
Radna temperatura (°C)	-20 ÷ +55

● 24 V DC

DODATNA OPREMA



1. Aluminijumsko krilo L = 900 mm.
2. Aluminijumsko krilo L = 1,200 mm.
3. Citac proximity kartica.
4. Plasticne spojnice.
5. Spojnice od AISI 304 nerdjajućeg celika.

KOMPLEMENTARNI ELEMENTI SISTEMA



1. Jednosmerna sigurnosna pregrada.
 2. Prohromska pregrada visine 900mm (AISI 304) sa ispunom od pleksiglasa debljine 6mm.
 3. Prohromska pregrada visine 900mm (AISI 304).
 4. Prohromska sigurnosna barijera visine 1000mm (AISI 304) sa anti-panik polugom.
 5. Pocinkovani celicni stub duzine 980mm.
 6. Prohromski stub visine 980mm (AISI 304), Ø 40.
 7. Pleksiglas debljine 6mm, visine 800mm i duzine 750mm.
 8. Prohromski stub visine 900mm sa nosacima (AISI 304), Ø 80 mm.
 9. Spojnice od hromirane plastike ili AISI 304 prohroma.
 10. Prohromska sipka debljine 1mm (AISI 304), Ø 40 mm.
- Dostupan u sledecim dimenzijama: 500, 1,000, 1,500, 2,000 mm.

Official Partner



MILANO 2015
FEEDING THE PLANET
ENERGY FOR LIFE



Came S.p.A.

Via Martiri della Libertà, 15
Dosson di Casier
Treviso - Italy

www.came.com

**Ekskluzivni zastupnik
sztr FLASH**

sedište: Milovana Glišica 10
kancelarije: Bulevar Arsenija Carnojevisa 64
tel.: +381 11 212 96 72
fax.: +381 11 212 96 76
www.flash-as.co.rs - info@flash-as.co.rs



Came is a company of
CAMEGROUP

© CAME SPA - KDEP#CEN2DA3S114 - JAN 2014 - EN

Even partial reproduction is prohibited • Came reserves the right to make any changes to this document at any time